

T8000 EN Type II

Self-Contained Open Circuit Breathing Apparatus



Approvals:**EN 137:** 2006 Type 2 – Respiratory protective devices.

Self-contained open-circuit compressed air breathing apparatus.

EN 136: 1997 class 3 – Respiratory protective devices. Full face masks.

TECHNICAL SPECIFICATION	
Weight with charged cylinder	11.4~12Kg
Dimension	(L*W*H): 640*255*250 mm
Using temperature	-30°C to 60°C
BACKPLATE AND HARNESS	
Material	Flame Retardant Polyaramid-Fibre Glass
Harness material	Cushion in Nomex mixed with Kevlar
Self-extinguishable	Yes
Harness adjustment	2 Waist straps to pull towards to tighten / 2 Waist straps to pull towards to tighten
Cylinder strap	Flexible in Nomex
PRESSURE REDUCER	
Input pressure	Up to 300 bar
Output	2 outputs of 6-8 bar
Type of reducer	Compensated
DEMAND VALVE	
Materials	PBT/PC
Max flow (by-pass)	450 l/min
Type of LDV	<ul style="list-style-type: none"> Positive pressure, activated when connected to facepiece Airflow stopped automatically when LDV disconnected from facepiece
Protection	Rubber cover
FACEPIECE	
Skirt and inner mask material	EPDM
Visor	PC class 3 with anti-scratch treatment
Speech diaphragm	Yes
Type of head harness	5 Points rubber
Neck strap	Yes
Available size	Universal
PRESSURE GAUGE	
Type of gauge	Pneumatic
Precision	Class 1.6
Measurement unit	Bar / MPa
Protection	Rubber cover
Visibility in darkness	Yes
LOW PRESSURE ALARM	
Activation pressure	50-60 bar
Sound level	>90 dB at ear
CYLINDER	
Material	Composite with aluminum liner
Volume	6.8 L
Cylinder thread	M1 8 x 1.5
Nominal pressure	300 bar
Testing pressure	450 bar
Other options	<ul style="list-style-type: none"> Medium pressure coupling demand valve Medium pressure second connector (Buddy breather) Quick filling universal air coupling

Please note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.

For more information

www.honeywellsafety.com
www.honeywell.com

May 2016
 © 2016 Honeywell International Inc.

Honeywell